

СЕРТИФІКАТ АНАЛІЗУ

Назва готового продукту: <b>Ензіназа таблетки (2x10)</b>	
Дата виготовлення: 09-2024	Термін придатності: 08-2027
Номер партії: TLS-1225CC	<b>A.R. NO: UA/ENZ/24/02</b>
Розмір партії: 5100 упаковок	

ТЕСТ	СПЕЦИФІКАЦІЯ	РЕЗУЛЬТАТ
<b>1. Опис</b>	Таблетка, кишковорозчинна, вкрита оболонкою червоного кольору	Відповідає
<b>2. Випробування</b> Кожна таблетка містить:  Трипсин (7680 FIP-Од) Хімотрипсин (1280 FIP-Од) Бромелайн (2400 GDU/g) Рутин	90,0% до 130,0%  100 мг 100 мг 180 мг 200 мг	Позитивний Позитивний Позитивний 197,0 мг
<b>3. Середня вага 1 таблетки</b>	1100 мг ± 7,5%	1155,3 мг
<b>4. Час розпаду</b>	Не більше 60 хвилин	28 хвилин 42 секунди
<b>5. Важкі метали</b> Свинець (Pb) Кадмій (Cd) Ртуть (Hg)	≤ 3,0 мг/кг ≤ 1,0 мг/кг ≤ 0,1 мг/кг	Відповідає
<b>6. Мікробний тест</b> Мікробне число Дріжджі та цвіль	<10 <sup>4</sup> КУО/г <10 <sup>2</sup> КУО/г	Відповідає
<b>7. Тест на визначені мікроорганізми</b> Сальмонела (Salmonella spp.) Кишкова паличка (E. Coli ) Стафілокок золотистий (Staphylococcus Aureus)	Відсутність в 10 г Відсутність в 1 г Відсутність в 1 г	Відповідає

Результат: усі результати тестування відповідають специфікаціям.

Без ГМО

Без пестицидів

Уповноважена особа

Ruchika

підпис/печатка

Дата: 10.10.2024

### CERTIFICATE OF ANALYSIS

Name of finished product: <b>Enzynaza Tablets (2×10)</b>	
Mfg. Date: 09-2024	Expiry Date : 08-2027
Batch No.: TLS-1225CC	A.R. NO.: <b>UA/ENZ/24/02</b>
Batch Size: 5,100 Packs	

No.	TEST	SPECIFICATION	RESULT
1.	<b>Description</b>	Red color enteric coated tablet	Complies
2.	<b>Assay/ Identification</b> Each tablet contains: Trypsin (7680 FIP) Chymotrypsin (1280 FIP) Bromelain (2400 GDU/g) Rutin	<b>Limit</b> 90.0% to 130.0% 100 mg 100 mg 180 mg 200 mg	Positive Positive Positive 197.0 mg
3.	<b>Average weight of 1 tablet</b>	1100 mg ± 7.5%	1155.3 mg
4.	<b>Disintegration time</b>	NMT 60 minutes	28 Minutes 42 Seconds
5.	<b>Heavy Metals</b> Lead (Pb) Cadmium (Cd) Mercury (Hg)	≤ 3.0 mg/kg ≤ 1.0 mg/kg ≤ 0.1 mg/kg	Complies
6.	<b>Microbial enumeration test</b> Microbial count Yeast and Mould	< 10 <sup>4</sup> cfu/g < 10 <sup>2</sup> cfu/g	Complies
7.	<b>Test for specified microorganism</b> Salmonella App. E.coli Staphylococcus Aureus	Absent in 10 g Absent in 1 g Absent in 1 g	Complies

**Result: All test results complies with the specifications.**

**GMO free**

**Pesticides free**

Authorized Signatory:

Date: 10.10.2024

